Aquaculture

VOL. 311 NOS. 1–4 CONTENTS 3 FEBRUARY 2011

(Abstracts/contents list published in: Aquatic Science and Fisheries Abstracts, Biological Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Current Contents A, B & ES, EMBiology, Environment Abstracts, Freshwater and Aquaculture Contents Tables, Geo Abstracts, Geobase, Marine Science Contents Tables, Zoological Record). Also covered in the abstract and citation database SCOPUS®. Full text available in ScienceDirect®

Review

Environmental drivers of Atlantic salmon behaviour in sea-cages: A review
F. Oppedal (Matredal, Norway), T. Dempster (Trondheim, Norway; Victoria, Australia) and L.H. Stien (Matredal, Norway) 1

Diseases

Improved immunodetection of *Penaeus monodon* densovirus with monoclonal antibodies raised against recombinant capsid protein
C. Srisuk, P. Chaivisuthangkura, W. Sukhumsirichart, P. Sridulyakul, S. Longyant, S. Rukpratanporn and P. Sithigorngul (Bangkok, Thailand) 19

Susceptibility of channel catfish, blue catfish and channel × blue catfish hybrid to *Ichthyophthirius multifiliis*
D.-H. Xu, P.H. Klesius, E. Peatman and Z. Liu (Auburn, AL, USA) 25

The effect of diet composition (plant vs fish oil-based diets) on the availability of oxytetracycline in gilthead sea bream (*Sparus aurata*) at two water temperatures
G. Rigos, V. Zonaras, D. Nikolopoulou, M. Henry, X. Nikoloudaki and M. Alexis (Athens, Greece) 31

In vivo screening of mangrove plants for anti WSSV activity in *Penaeus monodon*, and evaluation of *Ceriops tagal* as a potential source of antiviral molecules
N.S. Sudheer, R. Philip and I.S.B. Singh (Cochin, India) 36

Detection of koi herpesvirus (KHV) from koi (*Cyprinus carpio koi*) broodstock in South Korea
D.K. Gomez (Iloilo, Republic of the Philippines), S.J. Joh, H. Jang (Anyang, Republic of Korea), S.P. Shin, C.H. Choresca Jr., J.E. Han, J.H. Kim, J.W. Jun and S.C. Park (Seoul, Republic of Korea) 42

Genetic variation in the ribosomal internal transcribed spacers of *Aphanomyces astaci* Schikora from Finland
J. Makkonen, J. Jussila, P. Henttonen and H. Kokko (Kuopio, Finland) 48

Characterization of WSSV resistance in selected families of *Litopenaeus vannamei*
Y.-C. Huang (Guangzhou, Xiamen, PR China), Z.-X. Yin, H.-S. Ai, X.-D. Huang (Guangzhou, PR China), S.-D. Li (Zhanjiang, PR China), S.-P. Weng and J.-G. He (Guangzhou, PR China) 54

Ingestion of *Lepeophtheirus salmonis* by the blue mussel *Mytilus edulis*
S.D. Molloy, M.R. Pietrak, D.A. Bouchard and I. Bricknell (Orono, ME, USA) 61

(continued on last page of this issue)

Visit the Elsevier Aquaculture Website today!

New FREE Online Features:

- **Table of Contents NOW WITH ABSTRACTS**
- **Full Search on Abstracts, Authors and Keywords**
- **Author and Subject Index**

Bookmark: http://www.elsevier.com/locate/aqua-online or http://www.elsevier.com/locate/aqua-online

0044-8486(20110203)311:1-4;1-3

Available online at www.sciencedirect.com

ScienceDirect



(contents continued from back cover)

Establishment of a cell line from the brain of grouper (*Epinephelus akaara*) for cytotoxicity testing and virus pathogenesis
X. Huang, Y. Huang, Z. Ouyang and Q. Qin (Guangzhou, China) 65
The salt myth revealed: Treatment of gyrodactylid infections on ornamental guppies, *Poecilia reticulata*
B. Schelkle, R. Doetjes and J. Cable (Cardiff, UK) 74
Susceptibility of hatchery-reared snubnose pompano *Trachinotus blochii* to natural betanodavirus infection and their immune responses to the inactivated causative virus
R. Pakingking Jr. (Iloilo, Philippines), K.-I. Mori (Oita, Japan), N.B. Bautista, E.G. de Jesus-Ayson and O. Reyes (Iloilo, Philippines) 80
White spot syndrome virus (WSSV) risk factors associated with shrimp farming practices in polyculture and monoculture farms in the Philippines
E.A. Tendencia (Iloilo, Philippines; The Netherlands), R.H. Bosma and J.A.J. Verreth (The Netherlands) 87
Development of a multiplex loop-mediated isothermal amplification (mLAMP) method for the simultaneous detection of white spot syndrome virus and infectious hypodermal and hematopoietic necrosis virus in penaeid shrimp
L. He and H.-s. Xu (Hangzhou, China) 94
Required dose of fish nervous necrosis virus (NNV) for Poly(I:C) immunization of sevenband grouper *Epinephelus septemfasciatus*
T. Nishizawa (Yeosu, Republic of Korea), I. Takami (Nagasaki, Japan), M. Yoshimizu (Hakodate, Japan) and M.-J. Oh (Yeosu, Republic of Korea) 100
Assessing the viability of necrotizing hepatopancreatitis bacterium (NHPB) stored at −20 °C for use in forced-feeding infection of *Penaeus (Litopenaeus) vannamei*
M.H. Gracia-Valenzuela, L.A. Ávila-Villa, G. Yepiz-Plascencia, J. Hernández-López, F. Mendoza-Cano, G. García-Sanchez and T. Gollas-Galván (Sonora, México) 105

Genetics

Strategies for controlling inbreeding in fish breeding programs; an applied approach using optimum contribution (OC) procedures
A. Skaarud (Ås, Norway), J.A. Woolliams (Scotland, UK) and H.M. Gjøen (Ås, Norway) 110
DNA microsatellite-based evaluation of early growth performance among strains of freshwater prawn *Macrobrachium rosenbergii* de Man
T. Karaket, S. Poompuang, U. Na-Nakorn, W. Kamonrat (Bangkok, Thailand) and E.M. Hallerman (Blacksburg, VA, USA) 115
Genetic and cytological evidence of hybridization between native *Ruditapes decussatus* and introduced *Ruditapes philippinarum* (Mollusca, Bivalvia, Veneridae) in NW Spain
N.S. Hurtado, C. Pérez-García, P. Morán and J.J. Pasantes (Vigo, Spain) 123

Production Science

Sound, stress, and seahorses: The consequences of a noisy environment to animal health
P.A. Anderson (Gainesville, FL, USA), I.K. Berzins (Tampa, FL, USA), F. Fogarty, H.J. Hamlin and L.J. Guillette Jr. (Gainesville, FL, USA) 129
The effect of stocking density and diet on the growth and survival of cultured Florida apple snails, *Pomacea paludosa*
A.L. Garr, H. Lopez (Fort Pierce, FL, USA), R. Pierce (West Palm Beach, FL, USA) and M. Davis (Fort Pierce, FL, USA) . . . 139
Nitrogen stable isotopes in recirculating aquaculture for super-intensive shrimp production: Tracing the effects of water filtration on microbial nitrogen cycling
C.M. Holl, C.T. Glazer and S.M. Moss (Waimanalo, HI, USA) 146
Comparative efficacy of four anaesthetic agents in the yellow seahorse, *Hippocampus kuda* (Bleeker, 1852)
H.B. Pawar, S.V. Sanaye, R.A. Sreepada, V. Harish, U. Suryavanshi, Tanu and Z.A. Ansari (Dona Paula, India) 155
The optimal feeding frequency of large yellow croaker (*Pseudosciaena crocea*, Richardson) larvae
F. Xie, Q. Ai, K. Mai, W. Xu and H. Ma (Qingdao, P.R. China) 162
Reduced daylength stimulates size-dependent precocious maturity in 0+ male Atlantic salmon parr
O.T. Skilbrei (Bergen, Norway) and M. Heino (Bergen, Norway; Laxenburg, Austria) 168
Estimation of waste outputs by a rainbow trout cage farm using a nutritional approach and monitoring of lake water quality
P.A. Azevedo, C.L. Podemski, R.H. Hesslein, S.E.M. Kasian, D.L. Findlay (Winnipeg, MB, Canada) and D.P. Bureau (Guelph, Ontario, Canada) 175
Elemental signatures in the shells of early juvenile green-lipped mussels (*Perna canaliculus*) and their potential use for larval tracking
B.J. Dunphy (Auckland, New Zealand), M.-A. Millet (Wellington, New Zealand) and A.G. Jeffs (Auckland, New Zealand) . . . 187

Nutrition

Interactive effects of dietary protein/lipid level and oil source on growth, feed utilisation and nutrient and fatty acid digestibility of Atlantic salmon
V. Karalazos (Scotland, UK), E.Å. Bendiksen (Trondheim, Norway) and J.G. Bell (Scotland, UK) 193
The relationship between enrichment, fatty acid profiles and bacterial load in cultured rotifers (*Brachionus plicatilis* L-strain) and *Artemia* (*Artemia salina* strain *Franciscana*)
R. Haché and S. Plante (Shippagan, NB, Canada) 201
Effect of high digestible protein to digestible energy ratio on lysine utilisation by Atlantic salmon, *Salmo salar* L., parr
C.G. Carter and R.C. Hauler (Hobart, TAS, Australia) 209
Stress response in sea bream (*Sparus aurata*) held under crowded conditions and fed diets containing linseed and/or soybean oil
R. Ganga, D. Montero (Las Palmas, Spain), J.G. Bell (Scotland, UK), E. Atalah, E. Ganuza, O. Vega-Orellana (Las Palmas, Spain), L. Tort, L. Acerete (Bellaterra, Spain), J.M. Afonso, T. Benitez-Sanatana (Las Palmas, Spain), A. Fernández Vaquero (Dueñas, Spain) and M. Izquierdo (Las Palmas, Spain) 215
Rainbow trout (*Oncorhynchus mykiss*) is extremely sensitive to the feed-borne *Fusarium* mycotoxin deoxynivalenol (DON)
J.M. Hooft, A.E.H.I. Elmor (Guelph, ON, Canada), P. Encarnação (Singapore) and D.P. Bureau (Guelph, ON, Canada) 224
Supplementation of fishmeal and plant protein-based diets for rainbow trout with a mixture of sodium formate and butyrate
Y. Gao, T. Storebakken, K.D. Shearer (Ås, Norway), M. Penn (Oslo, Norway) and M. Øverland (Ås, Norway) 233

Physiology and Endocrinology

Extender composition, osmolality and cryoprotectant effects on the motility of sperm in the Brazilian endangered species *Brycon opalinus* (Characiformes)
L.H. Orfão, A.F. Nascimento, F.M. Corrêa (Lavras, Brazil), J. Cosson (Villefranche sur mer, France; Vodnany, Czech Republic) and A.T.M. Viveiros (Lavras, Brazil) 241
The production of hermaphrodites of Atlantic cod (*Gadus morhua*) by masculinization with orally administered 17-α-methyltestosterone, and subsequent production of all-female cod populations
T. Haugen (Storebø, Norway), E. Andersson (Bergen, Norway), B. Norberg (Storebø, Norway) and G.L. Taranger (Bergen, Norway) 248

Short Communications

Mauve Stingers (*Pelagia noctiluca*) as carriers of the bacterial fish pathogen *Tenacibaculum maritimum*
C.M.J. Delannoy (Stirling, Scotland), J.D.R. Houghton, N.E.C. Fleming (Belfast, Portaferry, UK) and H.W. Ferguson (Grenada, West Indies) 255
N-acylhomoserine lactone-degrading *Bacillus* strains isolated from aquaculture animals
T. Defoirdt, L.D. Thanh, B. Van Delsen, P. De Schryver, P. Sorgeloos, N. Boon and P. Bossier (Gent, Belgium) 258
Characterisation of 4α-methyl sterols in *Pavlova* spp. and postlarval sea scallops, *Placopecten magellanicus*
C.C. Parrish (St. John's, Newfoundland, Canada), L.M. Milke (Milford, CT, USA) and V.M. Bricelj (New Brunswick, NJ, USA) 261
The hematological response to exhaustive exercise in 'all-fish' growth hormone transgenic common carp (*Cyprinus carpio* L.)
D. Li (Wuhan, Changsha, China), C. Fu (Wuhan, Shangshai, China), Y. Wang, Z. Zhu and W. Hu (Wuhan, China) . . . 263